

# 1<sup>ST</sup> SYMPOSIUM LUNG CANCER: FROM DIAGNOSIS TO TREATMENT

## ORGANIZING COMMITTEE:

### PRESIDENT:

BAKA S.

### MEMBERS:

KARGIOTIS K.

PAPADIMITRIOU M.

## SCIENTIFIC COMMITTEE:

ARAMPATZIS C.

ATHANASIADOU F.

BAKAS A.

DREVELEGAS A.

FILIPPOU D.

HARTABILAS E.

ILIADIS G.

KARACHALIOS D.

KOSMIDIS C.

TITOPOULOS I.

TSAKIRIDIS K.

TSONIS G.

VALOUKAS D.

Dear colleagues and friends,

We gladly welcome you to the 1st symposium "Lung cancer: From diagnosis to treatment", which will take place on the 20th of September 2014 at the auditorium of the Interbalkan Medical Centre in Thessaloniki.

The symposium will be held under the organization of the Interbalkan Medical Centre with the goal of conducting an open dialogue among colleagues oncologists, pulmonologists and thoracic surgeons, on the matter of preventing, diagnosing and treating lung cancer.

New scientific developments and everyday clinical experiences will form the core of the symposium agenda, so that all of us manage to benefit from it and be able to convey important knowledge to the new generation of scientists.

Our hope is that the symposium will provide a benchmark for the Greek scientific community and it will hopefully take place every year.

We believe that your participation will be very helpful and will lead to the success of the symposium.

Sincerely,

Chairwoman

Sofia Baka

MD, PhD, Medical Oncologist,

Interbalkan Medical Center, Thessaloniki, Greece

**1<sup>ST</sup> SYMPOSIUM  
LUNG CANCER:  
FROM DIAGNOSIS  
TO TREATMENT**

**SCIENTIFIC  
PROGRAMME**

- 08:30 – 09:20 Registrations
- 09:20 – 09:30 Official welcome: G. Apostolopoulos  
Introduction: S. Baka
- 09:30 – 11:15 Round Table: Staging and diagnosis  
Chairs: I. Boukovinas, I. Dedes
- 09:30 – 10:00 Bronchoscopy and EBUS  
P. Zarogoulidis
- 10:00 – 10:30 Needle biopsy  
E. Perdikakis
- 10:30 – 11:00 Surgical staging  
K. Tsakiridis
- 11:00 – 11:15 Discussion
- 11:15 – 11:45 Coffee break
- 11:45 – 12:45 Lecture: Lung cancer. A United States perspective  
Chair: S. Baka  
Speaker: N. Zama
- 12:45 – 14:30 Round Table: Surgical management  
Chairs: K. Athanassiadi, T. Constantinidis
- 12:45 – 13:15 Mesothelioma surgical management  
N. Barbetakis
- 13:15 – 13:45 Lung cancer / Minimal invasive techniques  
K. Iliadis
- 13:45 – 14:15 Use of CBP and ECMO in surgical treatment of thoracic tumors  
D. Filippou

**1<sup>ST</sup> SYMPOSIUM  
LUNG CANCER:  
FROM DIAGNOSIS  
TO TREATMENT**

**SCIENTIFIC  
PROGRAMME**

- 14:15 – 14:30 Discussion
- 14:30 – 15:30 Lunch break
- 15:30 – 18:00 Round Table: Chemotherapy and radiotherapy  
Chairs: K. Syrigos, D. Karachalios
- 15:30 – 16:15 Chemotherapy in non small cell lung cancer. The new algorithm  
C. Manegold
- 16:15 – 17:00 Targeted treatments in lung cancer  
K. Syrigos
- 17:00 – 17:45 Advances in lung cancer radiotherapy  
D. Misailidou
- 17:45 – 18:00 Discussion
- 18:00 – 18:30 Coffee break
- 18:30 – 20:15 Round Table: Last minute news / Future  
Chairs: K. Zarogoulidis, C. Tolis
- 18:30 – 19:15 Novel treatments in lung cancer  
M. Krebs
- 19:15 – 20:00 Post ASCO news  
K. Botsolis
- 20:00 – 20:15 Discussion
- 20:15 Closing remarks  
S. Baka

# PARTICIPANTS

**Apostolopoulos G.**

PhD, Chairman of Athens Medical Group, Athens, Greece

**Athanassiadi K.**

Dr. Med., Senior Consultant Thoracic Surgeon, Director of the Thoracic Course of the EACTS Academy, Athens, Greece

**Baka S.**

MD, PhD, Medical Oncologist, Interbalkan Medical Center, Thessaloniki, Greece

**Barbetakis N.**

MD, PhD, Senior Consultant Thoracic Surgeon, Head of Thoracic Surgery Department, "Theagenio" Cancer Hospital, Thessaloniki, Greece

**Botsolis K.**

Clinical Fellow in Oncology, St. Bartholomew's Hospital, London, United Kingdom

**Boukovinas I.**

MD, PhD, Medical Oncologist, Head of Oncology Unit, "Bioclinic", Thessaloniki, Greece

**Constantinidis T.**

Prof, M.D., Ph.D., Occupational and Environmental Specialist, Professor of Medical School, "Democritus" University Thrace, Alexandroupolis, Greece

**Dedes I.**

Interventional Radiologist, Department of Diagnostic and Interventional Radiology, Interbalkan Medical Center, Thessaloniki, Greece

**Filippou D.**

Director of Thoracic Surgery Department, Interbalkan Medical Center, Thessaloniki, Greece

**Iliadis K.**

MD, FETCS, Thoracic Surgeon, Director of Thoracic Surgery Department, "Hygeia" Hospital, Athens, Greece

**Karachalios D.**

MD, Medical Oncologist, 424 Military Hospital, Thessaloniki, Greece

# PARTICIPANTS

**Krebs M.**

MD, PhD, MRCP, Clinical Senior Lecturer in Experimental Cancer Medicine and Honorary Consultant in Medical Oncology, "The Christie" NHS Foundation Trust, Manchester, United Kingdom

**Manegold C.**

M.D., Prof. of Medicine, Heidelberg University, Medical Faculty Mannheim, Germany

**Misailidou D.**

M.D, Ph.D, Radiation Oncologist, Diplomate American Board of Radiology, Interbalkan Medical Center, Thessaloniki, Greece

**Perdikakis E.**

Senior Consultant Radiologist, Department of Interventional Radiology, 424 GMTH Military Hospital, Thessaloniki, Greece

**Syrigos K.**

M.D., Ph.D., Professor & Head, Oncology Unit GPP, "Sotiria" General Hospital, Athens School of Medicine, Greece, Vis. Professor of Thoracic Oncology, Yale School of Medicine, New Haven, Connecticut, United States of America

**Tolis C.**

MD, PhD, Medical Oncologist, University Hospital of Ioannina, Greece

**Tsakiridis K.**

MD, PhD, Cardiac & Thoracic Surgeon, Head of Cardiothoracic Dept., "St. Loukes" Private Clinic, Thessaloniki, Greece

**Zama N.**

MD, PhD, Area Health, Medical Director, Cardiovascular and Thoracic Surgery, University of Pennsylvania, United States of America, Associate Professor

**Zarogoulidis P.**

M.D, MS.c, Ph.D., Interventional Pulmonary Medicine Specialist, Pulmonary - Oncology Department, "G.Papanikolaou" General Hospital, Aristotle University of Thessaloniki, Greece

# GENERAL INFORMATION

1<sup>ST</sup> SYMPOSIUM  
LUNG CANCER:  
FROM DIAGNOSIS  
TO TREATMENT

**Conference Venue**  
Interbalkan Medical Center  
10th Asklipiou Str. 57001, Pilea Thessaloniki  
Telephone: +30 2310 400000

**Conference Date**  
September 20th, 2014

**Organization**  
Interbalkan Medical Center Thessaloniki

**Language**  
The official conference language is English.

**Presentations by P/C**  
The conference room will be equipped with video projector for presentations via P / C.  
The presentation material must be delivered at least one hour before the conference to the Presentation's Secretariat.

**Registrations: FREE**  
For online registrations please fill in the registration form you will find in the sites: [www.gkad.gr](http://www.gkad.gr) or/and [www.belife.gr](http://www.belife.gr).

Registrations will take place during the designated hours inside the conference program.

**Certification**  
After the end of the conference a certificate of attendance with C.M.E. credits will be given.

Certificates of attendance will be given only to those who have attended at least 60% of the total program hours.

**Conference Secretariat**



Conference Management  
PR & Communication:

Tel.: 210 6897552-3, Fax: 210 6897555  
Mob.: 6932 342935, 6945 597848  
E-mail: [info@gkad.gr](mailto:info@gkad.gr), Site: [www.gkad.gr](http://www.gkad.gr)


## SPONSORS







Σχήμα 1: Έναρξη της δόσης της ληστεφαγροστικής κατά τη διάρκεια της ΔΜ σε ασθενείς που ξεκινούν θεραπεία με το φάρμακο έναντι της ληστεφαγροστικής.



Εξέταση με κεντρική ή περιφερική διάσπαση  
 Λόγω της μεταβολογικής απόδοσης μετά τη ληστεφαγροστική, η φαρμακοκινητική της ληστεφαγροστικής δεν αναμένεται να επηρεαστεί από νεφρική ή ηπατική δυσλειτουργία.

**Ενδεικτική ασθένεια**  
 Περιεχόμενα: Διάλυμα με ασθενείς υποδιηθητικές στη φαρμακοκινητική της ληστεφαγροστικής σε ηλικιακή ομάδα ασθενών (65-74 ετών) είναι παρόμοια με εκείνη σε νεότερους ασθενείς. Δεν υπάρχουν διαθέσιμα φαρμακοκινητικά δεδομένα σε ασθενείς > 75 ετών.

**Εξέταση ασθενών**  
 Πάρεται επίσης με βάση τους μείζονες του κίνδυνου της ληστεφαγροστικής με το σώμα της βάρους. Αυτό μπορεί να οδηγήσει σε μικρότερη φαρμακοκινητική ανταπόκριση σε ασθενείς με μεγάλο βάρος (> 95 kg). Επικρατεί μειώση της αποτελεσματικότητας σε αυτούς τους ασθενείς δεν μετράνε αποκλειστικά με τα πρότυπα δεδομένα.

**5.3 Προκλινικά δεδομένα για την ασφάλεια**

Το μη κλινικό δεδομένα δεν αποκάλυψαν ιδιαίτερα κίνδυνο για τον άνθρωπο με βάση τα συμβατικά μακροφάρμακολογικά ασφαλείας, τοξικότητας, υφιστάμενα δοσολογικά επαναλαμβανόμενων δόσεων, και παθητικότητα.

Σε μια μελέτη τοξικότητας στην αναπαραγωγική ικανότητα και απόδοσης σε κουνέλια, αυξημένη επίδραση μεταλλαξιογόνων, αμφοίων και ασφαλείας παρατηρήθηκε σε υψηλές δόσεις ληστεφαγροστικής. Επίσης, λόγω τοξικών, φαρμακοκινητικής επίδρασης οδήγησε για το κουνέλι. Δεν υπάρχουν στοιχεία που να αποδεικνύουν ότι η ληστεφαγροστική είναι παρονομιό. Αυτό το περιεχόμενο αναμένεται με τα αποτελέσματα από τον 6-CSE και παρόμοια. Δημοσιευμένες πληροφορίες σχετικά με τον 6-CSE και παρόμοια επίσης δεν αποκάλυψαν κίνδυνο σε ασθενείς που να αποδεικνύουν επιβλαβείς ενέργειες στη γενεαλογία και την επιβλαβή ανάπτυξη σε αρσενικούς ή θηλυκά μωρά κληρονομικά επιβλαβείς σε ασθενείς που σχετίζονται με το κάπνισμα ημερήσια. Παρόμοια στοιχεία που αποκάλυψαν ότι η φαρμακοκινητική ληστεφαγροστικής μπορεί να μεταβληθεί σε χαμηλότερα στην ηλικιακή ομάδα αρσενικών, όπως δεν υπάρχουν διαθέσιμα πληροφορίες για τη ληστεφαγροστική. Τα κατά προσέγγιση τα ετήσια είναι σημαντικά να τους ανθρώπους δεν είναι γνωστά.

**6. ΦΑΡΜΑΚΕΥΤΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ**

**6.1 Κατάλογος εκδόχων**

Διόξиду, πανόμοιο  
 Υδροξείδιο του καλίου (για ρυθμίση του pH)  
 Σοβίτιλη (E420)  
 Πολυσακχαρόζη 20  
 Υδροχλωρίδιο

**6.2 Ασυμβατότητες**

Εκείνη μελέτη σχετικά με τη συμβατότητα, το παρόν φαρμακευτικό προϊόν δεν πρέπει να αναμιχθεί με άλλα φαρμακευτικά προϊόντα.

**6.3 Διάρκεια ζωής**

2 χρόνια

**6.4 Ιδιαίτερες προφυλάξεις κατά τη φύλαξη του προϊόντος**

Φυλάσσεται σε ψυχρό (2°C - 8°C).  
 Μη καταψύξει.

Φυλάσσεται (στη προεπιλεγμένη συσκευασία) κλειστά και προστατευμένα από το φως.  
 Το δόγμα μπορεί να απορροφήσει στο τη φινιστικό καφέ/καφέ σε θερμοκρασία μικρότερη των 25°C για περίοδο 24 μηνών. Αφού απορροφήσει από το φινιστικό, το φαρμακευτικό προϊόν πρέπει να χρησιμοποιηθεί εντός αυτής της περιόδου (για ασφάλεια).

**6.5 Φύση και συστατικά του περιεχόμενου**

6,6 ml δόγματος σε τριγωνική φιάλη (για 1000) με παρουσίαση της εμβόλου (βουβαβιλικό οξύ) σε σκευασμένο με πολυ(βιολινο-οξείδιο-προπεροβιολινο) και επιμετωμένη βελούδινη βελούδινη (από 2,96 (0,34 mm) η 2,96 (0,4 mm) x 0,5 inch (12,7 mm)).

Μηνώδη ασθενείς (1 προεπιλεγμένη φαρμακοκινητική χωρίς ιδιαίτερα φάρμακα) (η οποία απορροφάται και φαρμακοκινητική από τη φάρμακο με τη βελούδινη και την επιμετωμένη βελούδινη).

Μπορεί να μην εκκρίνεται μέσω ούρων/σάλιου.

**6.6 Ιδιαίτερες προφυλάξεις απόρριψης και άλλος χειρισμός**

Το δόγμα πρέπει να επεξεργαστεί σωστά πριν τη χρήση. Πρέπει να χρησιμοποιούνται μόνο δισκία, χωρίς δόγμα χωρίς συμπύκνωμα.

Το δόγμα πρέπει να αφήνεται να φθάσει σε θετική θερμοκρασία (15°C - 25°C) για άνεση.

Εάν είναι αναπόφευκτο πρέπει να αποφευχθεί η υμενοβίωση (ασταρότητα) να προκαλέσει αναστάσιμη της ληστεφαγροστικής, καθίσταται την βελούδινη (συνήθως).

Το δόγμα δεν πρέπει κλειστά κλειστά (π.χ. λαβάνοντας ύλη) των τριών κινών μακροβίκτης επιβλαβής, οι οποίες του δόγματος προορίζονται μόνο για χρήση.

Κάθε συσκευασία του φαρμακευτικού προϊόντος ή δόγμα πρέπει να απορριφθεί σύμφωνα με τις κατά τόπους οδηγίες και διατάξεις.

**7. ΚΑΤΟΧΟΣ ΤΗΣ ΑΔΕΙΑΣ ΚΥΚΛΟΦΟΡΙΑΣ**

IAS "Sicor Biotech"  
 V. A. Gradina g. 8  
 IT-02241 Milvus  
 Νάπολις

**8. ΑΡΙΘΜΟΣ(ΟΙ) ΑΔΕΙΑΣ ΚΥΚΛΟΦΟΡΙΑΣ**

EU/1/13/1856/001  
 EU/1/13/1856/002

**9. ΗΜΕΡΟΜΗΝΙΑ ΠΡΩΤΗΣ ΕΓΚΡΙΣΗΣ/ΑΝΑΝΕΩΣΗΣ ΤΗΣ ΑΔΕΙΑΣ**

Ημερομηνία πρώτης έγκρισης: 25 Ιουλίου 2013

**10. ΗΜΕΡΟΜΗΝΙΑ ΑΝΑΘΕΩΡΗΣΗΣ ΤΟΥ ΚΕΙΜΕΝΟΥ**

Διατίθεται πληροφορικά στοιχεία για το παρόν φαρμακευτικό προϊόν είναι διαθέσιμα στον δικτυακό τόπο του Ευρωπαϊκού Οργανισμού Φαρμάκων (<http://www.ema.europa.eu>)

Εθνικός Σύλλογος Περιορισμένη Ιατρική Συνταγή: Η δόση είναι καλύτερη έγκριση της θεραπευτικής κίνηση σε νεοκαρκίνο και μπορεί να συνταγογραφηθεί νεοκαρκίνο με υποκατάσταση παρακολούθησης.

ΙΣΟΝΟΤΕΧΝΙΑ ΣΟΛΕΡ ΜΕΤΩΛΕΜ ΠΕΣΥΡ ΒΕΙΤ ΠΕΣΥΡ» Ε.ΟΜ. (με βάση Ελλάδα)  
 Α.Τ.: 1155,75 €, Ν.Τ.: 1034,52 €

Το φάρμακο αυτό (εξ) από (αποκατασκευαστική) παρακολούθηση. Αυτό θα επιτρέψει τον πιο προεπιλεγμένο νέου πληροφοριών ασφαλείας από την Tera. Σημεία από τους πωλητές του τμήμα της υγιεινής κληρονομιάς να αναφέρονται αποκλειστικά στην πιθανολογούμενη ανεπιθύμητη ενέργεια στο Safety Data Sheet του φαρμάκου.



**Votrient 200 mg:** Κάθε επικαλυμμένο με λεπτό υμένιο δισκίο περιέχει 200 mg pazopanib (ως υδροχλωρική).  
**Votrient 400 mg:** Κάθε επικαλυμμένο με λεπτό υμένιο δισκίο περιέχει 400 mg pazopanib (ως υδροχλωρική).

Για περισσότερες πληροφορίες απευθυνθείτε στο ιατρικό τμήμα της εταιρείας.  
 Η περιλήψη των χαρακτηριστικών του προϊόντος είναι διαθέσιμη εφόσον ζητηθεί.

**Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και Αναφέρετε ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα φάρμακα Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»**



Α.Κηφισίας 266, Χαλάνδρι 152 32, Τηλ.: 210 6882100

GRONC/0025/12/2  
 Περίοδος ισχύος: 10/13 - 12/14



**XALKORI**  
CRIZOTINIB



**Inlyta.**  
axitinib tablets



**SUTENT**  
sunitinib malate



**TORISEL**<sup>®</sup>  
temsirolimus



**AROMASIN**<sup>®</sup>  
exemestane tablets



**Pfizer** Oncology

PFIZER HELLAS A.E., Λεωφ. Μεσογείων 243  
15 451, Ν. Ψυχικό, Τηλ.: 210 6785000

Πριν τη συνταγογράφηση, συμβουλευθείτε την Περίληψη Χαρακτηριστικών του Προϊόντος που διατίθεται από την Pfizer Hellas A.E  
INLYTA, XALKORI: Η κυκλοφορία των προϊόντων στην Ελληνική αγορά αναμένεται αμέσως μετά την ολοκλήρωση των διαδικασιών έγκρισης τιμής και των όρων αποζημίωσης